

	Type	Hit	Search Text	DBs
1	BRS	2	"6633567".pn.	US-P PUB; USPAT; EP ; JP ; DERWENT; IBM_TDB
2	BRS	860	(ingress adj (port or ports))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	769	S2 and egress	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	30	S3 and ((forward or forwarding) near (vector or logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	29	S4 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	15	S5 and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	5	S6 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	2	"6775281".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DB
9	BRS	0	"6775281".pn. and database\$	US-P PUB; USPAT; EP ; JP ; DERWENT; IBM_TDB
10	BRS	2	"6775281".pn. and forward\$ and search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	0	"6775281".pn. and care	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	0	"6765866".pn. and care	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	0	"6765866".pn. and "don't care"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	8	\$4 and (egress and ingress).ab,ti,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	0	"6765866".pn. and default	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	1	"6765866".pn. and search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	S arch Text	DBs
17	BRS	1	"6633567".pn. and default	US-PGPUB; USPAT; EPO; JP ; DERWENT; IBM_TDB
18	BRS	1	"6633567".pn. and pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	1	"6775281".pn. and "data base"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	"6775281".pn. and pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	1	"6775281".pn. and MAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	1	"6775281".pn. and static and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	0	"6775281".pn. and LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	1	"6775281".pn. and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Typ	Hit	S arch Text	DB
25	BRS	2	"6775281".pn. and l gic	US-PGPUB; USPAT; EPO; JP ; DERWENT; IBM_TDB
26	BRS	0	(ternary near address near memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	(ternary adj addressable adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	147	(ternary adj2 addressable adj2 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	(ternary adj2 addressable adj2 memory) and "6775281".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	0	"6775281".pn. and group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	0	"6775281".pn. and CAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	1	"6775281".pn. and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	S arch Text	DBs
33	BRS	2	"5677910".pn.	US-P PUB; USPAT; EP ; JPO; DERWENT; IBM_TDB
34	BRS	0	"6765866".pn. and static and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	0	"6765866".pn. and static	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	0	"6765866".pn. and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	1	"6765866".pn. and entr\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	214398 4	"6775281".pn. group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	0	"6775281".pn. and group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	2	"6633567".pn. and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Typ	Hits	S arch T xt	DB
41	BRS	16	"5852607".pn. r "6308218".pn. r "5677910".pn. r "6446131".pn. or "6252872".pn. or "6219699".pn. or "6237061".pn. or "6181699".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB